

RECREATE
RIGHT
ATTITUDE
ADOWN



Lirio®

by

PHILIPS

Light inspires, light creates...

As the light bulb replaced candles, now LED will replace the bulb; a paradigm shift, allowing light to gain a new meaning in the home. The role of design is to enable this shift from styling luminaires to designing light itself.

With Lirio by Philips we continuously challenge ourselves to shape a light portfolio that brings both compelling designs as much as it intrigues with the light it creates. LED is taking a more and more important role in the portfolio allowing the design team of LIRIO to craft new, unique designs and forms.

Keeping in mind the important role that light takes in your life, LIRIO by Philips wants to offer you a collection that inspires and adds personality. Offering a true match between imaginative design and a human approach to innovation, LIRIO by Philips is an invitation to all to express yourself in your interior.


Lirio by Philips is a beautiful story to share.

Watch Nick-Knack, the movie at www.lirio.eu





BALANZA



TRELOME



Reddot Design Award

The Red Dot award is an internationally recognized seal of quality for excellent design. A creation that is granted with this award shows it belongs to the world's design elite.

iF Product Design Award

iF International Forum Design has been recognizing outstanding achievements in design with iF awards and iF Gold awards. Today it is among the most important awards for innovative product design.

iF Gold Award

Only 100 of the best iF award-winning designs are honored with the iF Gold award: the highest recognition of international design excellence. Balanza, one of the proud winners, was praised for its distinct impression and minimalist shape. A strong and powerful design made to impress.

CIRCULIS



CIELO



Lirio®

PHILIPS


NICK-KNACK



BLOQ
page 122



BONQ
page 130




BRANCHES
page 56



BUNCH
page 78



CARINO
page 74



CELSE
page 102



ADISA
page 82



ALTENA
page 94



BALANZA
page 18



CIELO
page 64



CIRCULIS
page 46
page 106



CONDO
page 126



CRANY
page 16




DOLINEA
page 86



DOLIUM
page 132



DOLOQ
page 118



ECLIPTIC
page 38



ERON
page 14



HALUS II
page 58



JIVE
page 34



KWADRO
page 143



LUCEBAR
page 32



LUCIOS
page 72



MAZE
page 30



MONETE
page 46



MUSIO
page 36



NEBO
page 80



NICK-KNACK
page 10



PALLO
page 116



PLANET
page 134



PONATO
page 108



PORTIO
page 70



POSADA
page 22



QUADRATUS
page 26



RANDO
page 144



RIMA
page 138



SKIVE
page 68



STELLATE
page 52



TERES
page 90




TORNO
page 112



TRELOME
page 42



TUBIZ
page 128



TUBOUND
page 96



TUBULAR
page 100



TUBULED
page 98



TULMIS
page 84




VETRO
page 140



WALTZ
page 60






NICK-KNACK

WHAT CAN YOU DO WITH A STRAIGHT LINE?

One line, many possibilities: in the '70s cartoon La Linea, Osvaldo Cavandoli made a little man come alive from one line of his pen. Nick-Knack, the new floor lamp inspired by the same idea: starting from a straight line, Nick-Knack can be twisted into 16 different positions. Available in 5 vivid colors, this playful floor lamp brings direct and indirect lighting - to read a book or to create a nice atmosphere in your home. Combining smart design with LED, Nick-Knack is the first line of a great story.





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

NICK-KNACK



4225131LI
2x 7,5W, class II
H 1664mm L 325mm W 325mm

4225130LI
2x 7,5W, class II
H 1664mm L 325mm W 325mm

4225132LI
2x 7,5W, class II
H 1664mm L 325mm W 325mm

4225134LI
2x 7,5W, class II
H 1664mm L 325mm W 325mm

4225135LI
2x 7,5W, class II
H 1664mm L 325mm W 325mm



POWER LED incl.
selv - 15 w ≈ 450 Lumen

ERON



4225030LI

1x 15W, class II
H 1610mm L 469mm W 241mm



4225048LI

1x 15W, class II
H 1610mm L 469mm W 241mm



4326030LI


1x 15W, class II
H 574mm L 191mm W 317mm



4326048LI

1x 15W, class II
H 574mm L 191mm W 317mm





4215530LI

Ix 140W, class II
H2334mm L500mm W 1670mm



4215531LI

Ix 140W, class II
H2334mm L500mm W 1670mm





How balanced can design be?

Balanza shines in simplicity. A strong and powerful design that impresses. A standout in your interior, it offers a balanced approach to design. Balanza's timeless design combined with a diffused light output makes it an all-time favourite.

Or as the jury of the prestigious iF design award noted when granting the Golden iF award to Balanza: "Rather than merely appearing as a dive, this lamp makes a distinct impression as it shines with simple, clear and minimalist shapes. The design is so simple and unobtrusive that it contradicts the experimental trend."





reddot design award
winner 2012



product
design award

2012 GOLD



422403 ILI
lx 105W, class II
H 1759mm L 500mm W 517mm



4224093 LI
lx 105W, class II
H 1759mm L 500mm W 517mm



432403 ILI
lx 105W, class II
H 304mm L 310mm W 341mm



4324093 LI
lx 105W, class II
H 304mm L 310mm W 341mm



touch & dim



3736330LI
2x 70W, class I
H 1838mm L 500mm W 911mm



3736430LI
2x 70W, class I
H 611mm L 400mm W 447mm



3736230LI
1x 70W, class I
H 455mm L 312,5mm W 451mm





touch & dim



373633 ILI
2x 70W, class I
H 1838mm L 500mm W 911mm



373643 ILI
2x 70W, class I
H 611mm L 400mm W 447mm



373623 ILI
1x 70W, class I
H 455mm L 312,5mm W 451mm





4211017LI
2x 70W, class I
H 1544mm L 350mm W 350mm



4561017LI
1x 42W, class I
H 110mm L 200mm W 232mm



4311017LI
2x 70W, class I
H 290mm L 301mm W 301mm



4111017LI
4x 14W, class I
H 2700mm L 1150mm W 350mm



421101ILI
2x 70W, class I
H 1544mm L 350mm W 350mm



456101ILI
1x 42W, class I
H 110mm L 200mm W 232mm



431101ILI
2x 70W, class I
H 290mm L 301mm W 301mm



411101ILI
4x 14W, class I
H 2700mm L 1150mm W 350mm



3762030LI

4x 70W, class I
H 3000mm L 486mm W 486mm



3762330LI

4x 70W, class II
H 619mm L 414mm W 414mm



3762430LI

4x 70W, class II
H 1800mm L 503mm W 503mm





 turn & dim



422303ILI
 2x 55W, class I
 H 1796mm L 289mm W 289mm
 



4223048LI
 2x 55W, class I
 H 1796mm L 289mm W 289mm
 



43155111
 1x 20W, class II
 H232mm L396mm W396mm





431503ILI
lx 105W, class II
H 300mm L 400mm W 400mm




What is it about light that we can't grasp?

Light is all around us, yet we can't put our finger on it. Ecliptic is just as mystifying as light. It's a body with a glowing cavity, mass and void, all in one. It looks like it's from outer space.

Ecliptic appeals and amazes. It is a mysterious interpretation of light.





POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

ECLIPTIC



407553 ILI
16x 2,5W, class II
H3000mm L650mm W650mm
 



4075593 LI
16x 2,5W, class II
H3000mm L650mm W650mm
 



407563 ILI
12x 2,5W, class II
H3000mm L475mm W475mm
 



4075693 LI
12x 2,5W, class II
H3000mm L475mm W475mm
 



When technology becomes design.

Technology sets Trelome apart. This pendant matches the unique LED anti-glare disk in a smooth and gracious design. The three domes on top of Trelome accentuate its soft form and offer you a functional lighting solution. Dress up your table in light.



POWER LED incl.
selv - 15 w ≈ 450 Lumen



370953 ILI
3x 15W, class I
H 3000mm L 1000mm W 225mm




3709548 LI
3x 15W, class I
H 3000mm L 1000mm W 225mm






POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TRELOME



3709731LI
2x 7,5W, class I
H50mm L250mm W100mm



3709748LI
2x 7,5W, class I
H50mm L250mm W100mm





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

MONETE



407633 ILI

2x 7,5W, class I
H 67mm L 400mm W 162mm



407643 ILI

3x 7,5W, class I
H 67mm L 546mm W 162mm




407653 ILI

4x 7,5W, class I
H 1500mm L 780mm W 213mm



Can light be architectural?

We believe it is with Circulis. Circulis is a geometrical design with clear surfaces and strong contrasts. The unique LED anti-glare disks direct the light wherever you want. Up. Down. Sideways. Any. Direction. You. Choose. It makes Circulis a progressive and functional luminaire, with a clear architectural signature.





POWER LED incl.
selv - 15 w ≈ 4 50 Lumen

CIRCULIS



406023116
3x 15W, class I
H2165mm L722mm W218mm

⚡ ⚙️ ⌚



406093116
3x 15W, class I
H2165mm L218mm W72mm

⚡ ⚙️ ⌚




POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

STELLATE



407531 ILI

7x 2,5W, class I
H2500mm L248mm W248mm



407521 ILI

12x 2,5W, class I
H2500mm L546mm W546mm



407541 ILI

12x 2,5W, class I
H166mm L546mm W546mm






POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

STELLATE



407533 ILI

7x 2,5W, class I
H2500mm L248mm W248mm



407523 ILI

12x 2,5W, class I
H2500mm L546mm W546mm



407543 ILI

12x 2,5W, class I
H166mm L546mm W546mm





POWER LED incl.
selv - 5 w ≈ 200 Lumen



BRANCHES



407571 ILI
5x 5W, class I
H2500mm L347mm W347mm



407581 ILI
9x 5W, class I
H2500mm L347mm W347mm



POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

HALUS II



4071330LI
18x 2,5W, class I
H2300mm L863mm W863mm




4071331LI
18x 2,5W, class I
H2300mm L863mm W863mm





3668030LI
5x 28W, class I
H2870mm L666mm W666mm



3668130LI
8x 28W, class I
H2870mm L840mm W840mm



3668230LI
2x 28W, class I
H378mm L419mm W216mm



366803/II
5x 28W, class I
H2870mm L666mm W666mm



366813/II
8x 28W, class I
H2870mm L840mm W840mm



366823/II
2x 28W, class I
H378mm L419mm W216mm





64



CIELO

65



Where is light coming from?

Cielo keeps a secret inside and makes the impossible possible: to emit light without a bulb. Bathing in eternal light, the shade lights up from the inside. See through Cielo – it is pure magic.

The combination of a classic shape and integrated LEDs, makes Cielo the essence of sophisticated lighting. A true Lirio by Philips classic and iF and Red Dot Design award winner 2012.



Lirio
by
PHILIPS



POWER LED incl.
selv - 2,5 w ≈ 115 Lumen

CIELO




reddot design award
winner 2012



product
design award

2012



4055001LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm



4055030LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm



4055031LI

24x 2,5W, class II
H 3210mm L 593mm W 593mm





4038030LI
3x 70W, class I
H3000mm L700mm W700mm



4038031LI
3x 70W, class I
H3000mm L700mm W700mm



4025231LI
3x 14W, class I
H2640mm L610mm W610mm



4025232LI
3x 14W, class I
H2640mm L610mm W610mm



403121 ILI

Ix 140W, class I

H 3000mm L 450mm W 450mm





3692232LI
1x 42W, class I
H 123mm L 135mm W 151mm



3692532LI
1x 105W, class I
H 282mm L 300mm W 300mm



3692132LI
2x 105W, class I
H 2250mm L 713mm W 300mm



3692032LI
1x 105W, class I
H 2350mm L 400mm W 400mm



369223 ILI
1x 42W, class I
H 123mm L 135mm W 151mm



369253 ILI
1x 105W, class I
H 282mm L 300mm W 300mm



369213 ILI
2x 105W, class I
H 2250mm L 713mm W 300mm



369203 ILI
1x 105W, class I
H 2350mm L 400mm W 400mm



4105131LI
3x 20W, class I
H2200mm L496mm W496mm



4105031LI
3x 20W, class I
H2200mm L650mm W650mm





375753 ILI
lx 55W, class I
H2145mm L504mm W504mm






4101011LI
 1x 105W, class I
 H2250mm L498mm W498mm



4101111LI
 1x 105W, class I
 H252mm L498mm W498mm





369001 ILI
1x 70W, class I
H 2220mm L 406mm W 406mm



369031 ILI
1x 105W, class I
H 1562mm L 400mm W 400mm




369041 ILI
1x 105W, class I
H 582mm L 400mm W 400mm





DOLINEA



Black is the new white. White is the new black.

Who says modern architecture cannot be complemented with warm white light? Accentuate your house with the pure black and white elegance of Dolinea. The textured black fabric adds a decorative touch and feeling to your interior. Looking for a more subtle presence, choose for the matt white.



POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

DOLINEA



368353ILI

3x 7,5W, class I
H3000mm L1049mm W87mm



368363ILI

4x 7,5W, class I
H3000mm L1300mm W87mm



368373ILI

2x 7,5W, class I
H478mm L99mm W71mm



3683530LI

3x 7,5W, class I
H3000mm L1049mm W87mm



3683630LI

4x 7,5W, class I
H3000mm L1300mm W87mm



3683730LI

2x 7,5W, class I
H478mm L99mm W71mm





402061 ILI
11x 28W, class I
H2600mm L1184mm W132mm



402051 ILI
7x 28W, class I
H2600mm L844mm W132mm



456051 ILI
2x 42W, class I
H75mm L306mm W96mm



4020617LI
11x 28W, class I
H2600mm L1184mm W132mm



4020517LI
7x 28W, class I
H2600mm L844mm W132mm





4560517LI
2x 42W, class I
H75mm L306mm W96mm



POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

ALTENA



Using a simple key, you can define your preferred white light colour. You can choose between four different white light colour temperatures: 3450, 3100, 2700 and 2500 Kelvin. This feature is not a substitute for a dimmer.



3794548LI

4x 7,5W, class II
H2500mm L1167mm W140mm



3794648LI


3x 7,5W, class II
H51mm L603mm W200mm



3794748LI

2x 7,5W, class I
H56mm L324mm W144mm






406073116
 1x 30W, class I
 H2500mm L123mm W123mm



406083116
 3x 30W, class I
 H2500mm L1090mm W123mm





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TUBULED



407151 ILI

1x 7,5W, class I
H2500mm L170mm W170mm



407161 ILI


2x 7,5W, class I
H2500mm L556mm W120mm



407171 ILI

3x 7,5W, class I
H2500mm L1046mm W120mm






402151 ILI
1x 75W, class I
H2840mm L120mm W120mm



402161 ILI
2x 75W, class I
H2840mm L690mm W120mm



402171 ILI
3x 75W, class I
H2840mm L990mm W120mm



4022117LI
lx 240W, class I
H253mm L 900mm W340mm



Spots, wall & ceiling



POWER LED incl.
selv - 15 w ≈ 450 Lumen

CIRCULIS



reddot design award
winner 2012



579363116

1x 15W, class I
H50mm L273mm W197mm



579373116

2x 15W, class I
H50mm L460mm W207mm






POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

PONATO

Anything but an ordinary spot light. A trendsetter in its kind with its exclusive galvanized chrome finish.



easy installation
with magnetic cover



571603 ILI
1x 7,5W, class I
H 140mm L 210mm W 112mm



571623 ILI
2x 7,5W, class I
H 140mm L 322mm W 112mm




571643 ILI
4x 7,5W, class I
H 140mm L 622mm W 112mm



POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

PONATO

Anything but an ordinary spot light. A trendsetter in its kind with its exclusive galvanized chrome finish.



 easy installation
with magnetic cover



5716013LI

1x 7,5W, class I
H 140mm L 210mm W 112mm



5716213LI

2x 7,5W, class I
H 140mm L 322mm W 112mm



5716413LI

4x 7,5W, class I
H 140mm L 622mm W 112mm





POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TORNO



571401 ILI
1x 7,5W, class II
H 153mm L 179mm W 179mm
 



571421 ILI
2x 7,5W, class II
H 248mm L 256mm W 256mm
 



571431 ILI
3x 7,5W, class II
H 353mm L 258mm W 258mm
 



571451 ILI
1x 7,5W, class III
L 85mm C 70x70mm R 71mm




571461 ILI
1x 7,5W, class III
L 85mm C 65x65mm R 38mm
 



POWER LED incl.
selv - 7,5 w ≈ 350 Lumen

TORNO



571403 ILI
1x 7,5W, class II
H 153mm L 179mm W 179mm



571423 ILI
2x 7,5W, class II
H 248mm L 256mm W 256mm




571433 ILI
3x 7,5W, class II
H 353mm L 258mm W 258mm



571453 ILI
1x 7,5W, class III
L 85mm C 70x70mm R 71mm



571463 ILI
1x 7,5W, class III
L 85mm C 65x65mm R 38mm



570703 ILI

1x 50W, class I
H 175mm L 156mm W 156mm



570723 ILI

2x 50W, class I
H 257mm L 298mm W 210mm



570733 ILI

3x 50W, class I
H 261mm L 302mm W 302mm





A touch of luxury decorating your ceiling. Doloq lifts up the idea you had about functional spot lights.



571303 ILI
1x 30W, class I
H85mm L200mm W155mm



571323 ILI
2x 30W, class I
H85mm L325mm W155mm



571333 ILI
3x 30W, class I
H85mm L495mm W155mm



571343 ILI
4x 30W, class I
H85mm L325mm W325mm



A touch of luxury decorating your ceiling. Doloq lifts up the idea you had about functional spot lights.



5713030LI
1x 30W, class I
H85mm L200mm W155mm



5713230LI
2x 30W, class I
H85mm L325mm W155mm



5713330LI
3x 30W, class I
H85mm L495mm W155mm



5713430LI
4x 30W, class I
H85mm L325mm W325mm





5700030LI
1x 50W, class I
H 122mm L 163mm W 163mm



5700230LI
2x 50W, class I
H 122mm L 313mm W 163mm



5700330LI
3x 50W, class I
H 122mm L 463mm W 163mm



5700430LI
4x 50W, class I
H 122mm L 313mm W 313mm



570003 ILI
1x 50W, class I
H 122mm L 163mm W 163mm



570023 ILI
2x 50W, class I
H 122mm L 313mm W 163mm



570033 ILI
3x 50W, class I
H 122mm L 463mm W 163mm



570043 ILI
4x 50W, class I
H 122mm L 313mm W 313mm



306043116
1x 35W, class I
H 115mm L 144mm W 92mm

☑️ ⚡️



306053116
2x 35W, class I
H 115mm L 234mm W 92mm

☑️ ⚡️




336053116
2x 35W, class I
H 200mm L 94mm W 125mm

☑️ ⚡️ ⚙️



336053196
2x 35W, class I
H 200mm L 94mm W 125mm

☑️ ⚡️ ⚙️



TUBIZ



3066531LI

1x 30W, class I
H 124mm L 122mm W 122mm



3066548LI

1x 30W, class I
H 124mm L 122mm W 122mm





579813116
1x 30W, class I
H 101mm L 141mm W 141mm
[Energy Star icon] [RoHS icon]



579814816
1x 30W, class I
H 101mm L 141mm W 141mm
[Energy Star icon] [RoHS icon]



579823116
2x 30W, class I
H 101mm L 281mm W 141mm
[Energy Star icon] [RoHS icon]



579824816
2x 30W, class I
H 101mm L 281mm W 141mm
[Energy Star icon] [RoHS icon]



579843116
4x 30W, class I
H 101mm L 881mm W 141mm
[Energy Star icon] [RoHS icon]



579844816
4x 30W, class I
H 101mm L 881mm W 141mm
[Energy Star icon] [RoHS icon]



579903116
1x 35W, class I
H 122mm L 124mm W 72mm



579903196
1x 35W, class I
H 122mm L 124mm W 72mm



579904816
1x 35W, class I
H 122mm L 124mm W 72mm



579904896
1x 35W, class I
H 122mm L 124mm W 72mm



579923116
2x 35W, class I
H 122mm L 210mm W 72mm



579924816
2x 35W, class I
H 122mm L 210mm W 72mm



579943116
4x 35W, class I
H 122mm L 580mm W 72mm



579944816
4x 35W, class I
H 122mm L 580mm W 72mm





5703048LI
1x 50W, class I
H82mm L80mm W80mm
! ©



5703148LI
1x 35W, class II
H108mm L94mm W94mm
! ©



5703248LI
2x 50W, class I
H95mm L195mm W80mm
©



5703348LI
3x 50W, class I
H240mm L596mm W132mm
©



5703448LI
4x 50W, class I
H95mm L195mm W195mm
©



5703648LI
6x 50W, class I
H107mm L1055mm W82mm
©



570323 I/LI
2x 50W, class I
H 95mm L 195mm W 80mm



570333 I/LI
3x 50W, class I
H 240mm L 596mm W 132mm



570343 I/LI
4x 50W, class I
H 95mm L 195mm W 195mm



570303 I/LI
1x 50W, class I
H 82mm L 80mm W 80mm



570313 I/LI
1x 35W, class II
H 108mm L 94mm W 94mm



570363 I/LI
6x 50W, class I
H 107mm L 1055mm W 82mm



336073116
lx 14W, class II
H 117mm L 827mm W 65mm





325013 ILI

2x 80W, class I
H83mm L450mm W450mm



345003 ILI

1x 120W, class I
H80mm L380mm W184mm





3250417LI
2x 9W, class I
H71mm L250mm W250mm



3250517LI
2x 11W, class I
H71mm L350mm W350mm



3250617LI
4x 9W, class I
H71mm L450mm W450mm



3450417LI
1x 11W, class I
H71mm L350mm W180mm






RANDO



3251548LI
1x 60W, class II
H82mm L504mm W504mm
D&


3251648LI
1x 40W, class II
H82mm L424mm W424mm
D&



4225131LI
class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.05
white, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4225130LI
class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71332.99
black, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4225132LI
class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71350.33
red, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4225048LI
class II, IP20, SELV
H1610mm L469mm W241mm

54-1398-71332.82
aluminium, metal


1x 15W POWERLED incl.
approved for 1x max. 15W



4326030LI
class II, IP20, SELV
H574mm L191mm W317mm

54-1398-71333.98
black, metal


1x 15W POWERLED incl.
approved for 1x max. 15W



4326048LI
class II, IP20, SELV
H574mm L191mm W317mm

54-1398-71334.04
aluminium, metal


1x 15W POWERLED incl.
approved for 1x max. 15W



4225134LI
class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.12
yellow, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4225135LI
class II, IP20, SELV
H1664mm L325mm W325mm

54-1398-71333.29
blue, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4225030LI
class II, IP20, SELV
H1610mm L469mm W241mm

54-1398-71332.75
black, metal


1x 15W POWERLED incl.
approved for 1x max. 15W



4215530LI
class II, IP20, 230V
H2334mm L500mm W1670mm

54-1398-70453.56
black, metal


1x 140W E27 EcoClassic incl.
approved for 1x max. 140W



4215531LI
class II, IP20, 230V
H2334mm L500mm W1670mm

54-1398-70453.63
white, metal

1x 140W E27 EcoClassic incl.
approved for 1x max. 140W




4224031LI
class II, IP20, 230V
H1759mm L500mm W517mm

54-1398-70714.09
white, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21




4224093LI
class II, IP20, 230V
H1759mm L500mm W517mm

54-1398-70858.88
anthracite, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21




4324031LI
class II, IP20, 230V
H304mm L310mm W341mm

54-1398-70714.23
white, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Balanza
p. 21




4324093LI
class II, IP20, 230V
H304mm L310mm W341mm

54-1398-70858.95
anthracite, metal

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Posada
p. 25




3736231LI
class I, IP20, 230V
H455mm L313mm W451mm

54-1398-70326.39
white, metal

1x 70W E27 EcoClassic incl.
approved for 1x max. 100W



Posada
p. 25




3736331LI
class I, IP20, 230V
H1838mm L500mm W911mm

54-1398-70276.42
white, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 100W



Posada
p. 25




3736431LI
class I, IP20, 230V
H611mm L400mm W447mm

54-1398-70276.66
white, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Posada
p. 23




3736230LI
class I, IP20, 230V
H455mm L313mm W451mm

54-1398-70326.22
black, metal

1x 70W E27 EcoClassic incl.
approved for 1x max. 100W



Posada
p. 23




3736330LI
class I, IP20, 230V
H1838mm L500mm W911mm

54-1398-70276.35
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 100W



Posada
p. 23




3736430LI
class I, IP20, 230V
H611mm L400mm W447mm

54-1398-70276.59
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 27




4111017LI
class I, IP20, 230V
H2700mm L1150mm W350mm

54-1398-70204.90
creme, metal

4x 14W E27 Softone incl.
approved for 4x max. 60W



Quadratus
p. 27




4211017LI
class I, IP20, 230V
H1544mm L350mm W350mm

54-1225-39522.82
creme, metal

2x 70W E27 Softone incl.
approved for 2x max. 75W



Quadratus
p. 27




4311017LI
class I, IP20, 230V
H290mm L301mm W301mm

54-1225-39522.99
creme, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 27




4561017LI
class I, IP20, 230V
H110mm L200mm W232mm

54-1398-70178.89
creme, metal

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Quadratus
p. 29




4111011LI
class I, IP20, 230V
H2700mm L1150mm W350mm

54-1398-70204.83
black, metal

4x 14W E27 Softone incl.
approved for 4x max. 60W



Quadratus
p. 29




4561011LI
class I, IP20, 230V
H110mm L200mm W232mm

54-1398-70178.72
black, metal

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Quadratus
p. 29




4211011LI
class I, IP20, 230V
H1544mm L350mm W350mm

54-1225-39520.91
black, metal

2x 70W E27 Softone incl.
approved for 2x max. 75W



Maze
p. 31




3762330LI
class II, IP20, 230V
H619mm L414mm W414mm

54-1398-70477.18
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Maze
p. 31




3762430LI
class II, IP20, 230V
H1800mm L503mm W503mm

54-1398-70477.01
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Lucebar
p. 33




4223031LI
class I, IP20, 230V
H1796mm L289mm W289mm

54-1398-70715.22
white, glass

2x 55W 2G11 incl.
approved for 2x max. 55W



Quadratus
p. 29




4311011LI
class I, IP20, 230V
H290mm L301mm W301mm

54-1225-39521.07
black, metal

2x 70W E27 EcoClassic incl.
approved for 2x max. 75W



Quadratus
p. 29




4561011LI
class I, IP20, 230V
H110mm L200mm W232mm

54-1398-70178.72
black, metal

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Maze
p. 31




3762030LI
class I, IP20, 230V
H3000mm L486mm W486mm

54-1398-70476.95
black, fabric

4x 70W E27 EcoClassic incl.
approved for 4x max. 70W



Lucebar
p. 33




4223048LI
class II, IP20, 230V
H1796mm L289mm W289mm

54-1398-70759.26
aluminium, glass

2x 55W 2G11 incl.
approved for 2x max. 55W



Jive
p. 35




4315511LI
class II, IP20, 230V
H232mm L396mm W396mm

54-1398-70482.96
chrome, glass

1x 20W E27 Tornado incl.
approved for 1x max. 60W



Musio
p. 37




4315031LI
class II, IP20, 230V
H300mm L400mm W400mm

54-1398-70256.79
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W






4075531LI
class II, IP20, SELV
H3000mm L650mm W650mm

54-1398-71332.13
white, metal


16x 2,5W POWERLED incl.
approved for 16x max. 2,5W



4075593LI
class II, IP20, SELV
H3000mm L650mm W650mm

54-1398-71332.20
anthracite, metal


16x 2,5W POWERLED incl.
approved for 16x max. 2,5W



4075631LI
class II, IP20, SELV
H3000mm L475mm W475mm

54-1398-71332.37
white, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



3709731LI
class I, IP20, SELV
H50mm L250mm W100mm

54-1398-71009.63
white, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



3709748LI
class I, IP20, SELV
H50mm L250mm W100mm

54-1398-71013.42
aluminium, aluminium


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4076331LI
class I, IP20, SELV
H67mm L400mm W162mm

87-1794-37906.30
white, aluminium


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



4075693LI
class II, IP20, SELV
H3000mm L475mm W475mm

54-1398-71332.44
anthracite, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



3709531LI
class I, IP20, SELV
H3000mm L1000mm W225mm

54-1398-71032.16
white, metal


3x 15W POWERLED incl.
approved for 3x max. 15W



3709548LI
class I, IP20, SELV
H3000mm L1000mm W225mm

54-1398-71032.23
aluminium, metal


3x 15W POWERLED incl.
approved for 3x max. 15W



4076431LI
class I, IP20, SELV
H67mm L546mm W162mm

87-1794-37906.54
white, aluminium


3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



4076531LI
class I, IP20, SELV
H1500mm L780mm W213mm

87-1794-37906.78
white, aluminium

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W




4060231I6
class I, IP20, SELV
H2165mm L722mm W218mm

87-1794-37514.33
white, aluminium

3x 15W POWERLED incl.
approved for 3x max. 15W






406093116
class I, IP20, SELV
H2165mm L218mm W72mm

87-1794-30353.66
white, aluminium


3x 15W POWERLED incl.
approved for 3x max. 15W



4075211LI
class I, IP20, SELV
H2500mm L546mm W546mm

54-1398-71320.01
chrome, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



4075311LI
class I, IP20, SELV
H2500mm L248mm W248mm

54-1398-71331.83
chrome, metal


7x 2,5W POWERLED incl.
approved for 7x max. 2,5W



4075431LI
class I, IP20, SELV
H166mm L546mm W546mm

54-1398-71320.56
white, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



4075711LI
class I, IP20, SELV
H2500mm L347mm W347mm

54-1398-71332.51
chrome, metal


5x 5W POWERLED incl.
approved for 5x max. 5W



4075811LI
class I, IP20, SELV
H2500mm L347mm W347mm

54-1398-71332.68
chrome, metal


9x 5W POWERLED incl.
approved for 9x max. 5W



4075411LI
class I, IP20, SELV
H166mm L546mm W546mm

54-1398-71320.32
chrome, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



4075231LI
class I, IP20, SELV
H2500mm L546mm W546mm

54-1398-71320.25
white, metal


12x 2,5W POWERLED incl.
approved for 12x max. 2,5W



4075331LI
class I, IP20, SELV
H2500mm L248mm W248mm

54-1398-71332.06
white, metal


7x 2,5W POWERLED incl.
approved for 7x max. 2,5W



4071330LI
class I, IP20, SELV
H2300mm L863mm W863mm

54-1398-71009.70
black, metal


18x 2,5W POWERLED incl.
approved for 18x max. 2,5W



4071331LI
class I, IP20, SELV
H2300mm L863mm W863mm

54-1398-71010.21
white, metal

18x 2,5W POWERLED incl.
approved for 18x max. 2,5W




3668030LI
class I, IP20, 230V
H2870mm L666mm W666mm

54-1225-39430.75
black, metal

5x 28W E14 EcoClassic incl.
approved for 5x max. 40W






3668130LI
class I, IP20, 230V
H2870mm L840mm W840mm

54-1225-39430.82
black, metal


8x 28W E14 EcoClassic incl.
approved for 8x max. 40W



3668230LI
class I, IP20, 230V
H378mm L419mm W216mm

54-1225-39420.78
black, metal


2x 28W E14 EcoClassic incl.
approved for 2x max. 40W



3668031LI
class I, IP20, 230V
H2870mm L666mm W666mm

54-1225-39435.94
white, metal


5x 28W E14 EcoClassic incl.
approved for 5x max. 40W



4055030LI
class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70748.06
black, aluminium


24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



4055031LI
class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70748.13
white, aluminium


24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



4038030LI
class I, IP20, 230V
H3000mm L700mm W700mm

54-1398-70444.89
black, aluminium


3x 70W E27 EcoClassic incl.
approved for 3x max. 70W



3668131LI
class I, IP20, 230V
H2870mm L840mm W840mm

54-1225-39436.24
white, metal


8x 28W E14 EcoClassic incl.
approved for 8x max. 40W



3668231LI
class I, IP20, 230V
H378mm L419mm W216mm

54-1225-39429.62
white, metal


2x 28W E14 EcoClassic incl.
approved for 2x max. 40W



4055001LI
class II, IP20, 230V
H3210mm L593mm W593mm

54-1398-70747.90
gold, aluminium


24x 2,5W POWERLED incl.
approved for 24x max. 2,5W



4038031LI
class I, IP20, 230V
H3000mm L700mm W700mm

54-1398-70444.96
white, aluminium


3x 70W E27 EcoClassic incl.
approved for 3x max. 70W



4025231LI
class I, IP20, 230V
H2640mm L610mm W610mm

54-1225-39948.00
white, glass

3x 14W E27 Softone incl.
approved for 3x max. 150W




4025232LI
class I, IP20, 230V
H2640mm L610mm W610mm

54-1225-39983.42
red, glass

3x 14W E27 Softone incl.
approved for 3x max. 150W



Lucios
p. 73




4031211LI
class I, IP20, 230V
H3000mm L450mm W450mm

54-1398-70248.32
chrome, aluminium

1x 140W E27 EcoClassic incl.
approved for 1x max. 150W



Carino
p. 75




3692032LI
class I, IP20, 230V
H2350mm L400mm W400mm

54-1225-39963.85
red, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Carino
p. 75




3692132LI
class I, IP20, 230V
H2250mm L713mm W300mm

54-1225-39964.53
red, glass

2x 105W E27 EcoClassic incl.
approved for 2x max. 105W



Carino
p. 77




3692131LI
class I, IP20, 230V
H2250mm L713mm W300mm

54-1225-39985.87
white, glass

2x 105W E27 EcoClassic incl.
approved for 2x max. 105W



Carino
p. 77




3692231LI
class I, IP20, 230V
H123mm L135mm W151mm

54-1225-39985.56
white, glass

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Carino
p. 77




3692531LI
class I, IP20, 230V
H282mm L300mm W300mm

54-1225-39985.70
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Carino
p. 75




3692232LI
class I, IP20, 230V
H123mm L135mm W151mm

54-1225-39963.92
red, glass

1x 42W G9 EcoHalo incl.
approved for 1x max. 60W



Carino
p. 75




3692532LI
class I, IP20, 230V
H282mm L300mm W300mm

54-1225-39964.15
red, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Carino
p. 77




3692031LI
class I, IP20, 230V
H2350mm L400mm W400mm

54-1225-39985.32
white, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Bunch
p. 79




4105031LI
class I, IP20, 230V
H2200mm L650mm W650mm

54-1398-70712.25
white, glass

3x 20W E27 Tornado incl.
approved for 3x max. 60W



Bunch
p. 79




4105131LI
class I, IP20, 230V
H2200mm L496mm W496mm

54-1398-70716.38
white, glass

3x 20W E27 Tornado incl.
approved for 3x max. 60W



Nebo
p. 81




3757531LI
class I, IP20, 230V
H2145mm L504mm W504mm

54-1398-70474.28
white, synthetic

1x 55W 2GX13 incl.
approved for 1x max. 55W



Adisa
p. 83




4101011LI
class I, IP20, 230V
H2250mm L498mm W498mm

54-1398-70325.30
chrome, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Adisa
p. 83




4101111LI
class I, IP20, 230V
H252mm L498mm W498mm

54-1398-70326.46
chrome, glass

1x 105W E27 EcoClassic incl.
approved for 1x max. 105W



Tulmis
p. 85




3690011LI
class I, IP20, 230V
H2220mm L406mm W406mm

54-1225-39896.22
matt satiné, synthetic

1x 70W E27 EcoClassic incl.
approved for 1x max. 150W



Dolinea
p. 89




3683531LI
class I, IP20, SELV
H3000mm L1049mm W87mm

54-1398-71012.74
white, fabric

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Dolinea
p. 89




3683630LI
class I, IP20, SELV
H3000mm L1300mm W87mm

54-1398-71012.81
black, fabric

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Dolinea
p. 89




3683631LI
class I, IP20, SELV
H3000mm L1300mm W87mm

54-1398-71012.98
white, fabric

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Tulmis
p. 85




3690311LI
class I, IP20, 230V
H1562mm L400mm W400mm

54-1225-39901.16
matt satiné, synthetic

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Tulmis
p. 85




3690411LI
class I, IP20, 230V
H582mm L400mm W400mm

54-1225-39901.09
matt satiné, synthetic

1x 105W E27 EcoClassic incl.
approved for 1x max. 150W



Dolinea
p. 89




3683530LI
class I, IP20, SELV
H3000mm L1049mm W87mm

54-1398-71012.67
black, fabric

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Dolinea
p. 89




3683730LI
class I, IP20, SELV
H478mm L99mm W71mm

54-1398-71013.04
black, fabric

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Dolinea
p. 89




3683731LI
class I, IP20, SELV
H478mm L99mm W71mm

54-1398-71013.11
white, fabric

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Teres
p. 91




4020511LI
class I, IP20, 230V
H2600mm L844mm W132mm

54-1225-39523.67
chrome, metal

7x 28W G9 EcoHalo incl.
approved for 7x max. 28W






4020611LI
class I, IP20, 230V
H2600mm L1184mm W132mm

54-1225-39523.74
chrome, metal


11x 28W G9 EcoHalo incl.
approved for 11x max. 28W



4560511LI
class I, IP20, 230V
H75mm L306mm W96mm

54-1398-70178.96
chrome, metal


2x 42W G9 EcoHalo incl.
approved for 2x max. 60W



4020517LI
class I, IP20, 230V
H2600mm L844mm W132mm

54-1225-39526.26
matt chrome, metal


7x 28W G9 EcoHalo incl.
approved for 7x max. 28W



3794648LI
class II, IP20, SELV
H51mm L603mm W200mm

54-1398-70936.30
aluminium, metal


3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



3794648LI
class I, IP20, SELV
H56mm L324mm W144mm

54-1398-70936.47
aluminium, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



406073116
class I, IP20, 12V
H2500mm L123mm W123mm

87-1794-30352.29
white, aluminium


1x 30W G53 incl.
approved for 1x max. 30W



4020617LI
class I, IP20, 230V
H2600mm L1184mm W132mm

54-1225-39526.33
matt chrome, metal


11x 28W G9 EcoHalo incl.
approved for 11x max. 28W



4560517LI
class I, IP20, 230V
H75mm L306mm W96mm

54-1398-70179.02
matt chrome, metal


2x 42W G9 EcoHalo incl.
approved for 2x max. 60W



3794548LI
class II, IP20, SELV
H2500mm L1167mm W140mm

54-1398-70936.23
aluminium, metal


4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



406083116
class I, IP20, 12V
H2500mm L1090mm W123mm

87-1794-30353.28
white, aluminium


3x 30W G53 incl.
approved for 3x max. 30W



4071511LI
class I, IP20, SELV
H2500mm L170mm W170mm

54-1398-71010.38
chrome, glass

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W




4071611LI
class I, IP20, SELV
H2500mm L556mm W120mm

54-1398-71010.76
chrome, glass

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W






407171LI
class I, IP20, SELV
H2500mm L1046mm W120mm

54-1398-71010.45
chrome, glass


3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



402151LI
class I, IP20, 230V
H2840mm L120mm W120mm

54-1225-39533.71
chrome, metal


1x 75W E27 incl.
approved for 1x max. 75W



402161LI
class I, IP20, 230V
H2840mm L690mm W120mm

54-1225-39533.64
chrome, metal


2x 75W E27 incl.
approved for 2x max. 75W



579373116
class I, IP20, SELV
H50mm L460mm W207mm

87-1794-37485.70
white, aluminium


2x 15W POWERLED incl.
approved for 2x max. 15W



571603LI
class I, IP20, SELV
H140mm L210mm W112mm

54-1398-71004.68
white, metal


1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



571623LI
class I, IP20, SELV
H140mm L322mm W112mm

54-1398-71004.82
white, metal


2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



402171LI
class I, IP20, 230V
H2840mm L990mm W120mm

54-1225-39533.57
chrome, metal


3x 75W E27 incl.
approved for 3x max. 75W



4022117LI
class I, IP20, 230V
H253mm L900mm W340mm

54-1225-39527.56
matt chrome, metal


1x 240W R7S EcoHalo incl.
approved for 1x max. 300W



579363116
class I, IP20, SELV
H50mm L273mm W197mm

87-1794-37485.87
white, aluminium


1x 15W POWERLED incl.
approved for 1x max. 15W



571643LI
class I, IP20, SELV
H140mm L622mm W112mm

54-1398-71005.05
white, metal


4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



5716013LI
class I, IP20, SELV
H140mm L210mm W112mm

54-1398-71004.51
black chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



5716213LI
class I, IP20, SELV
H140mm L322mm W112mm


54-1398-71004.75
black chrome, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Ponato

p. 111



5716413LI

class I, IP20, SELV
H140mm L622mm W112mm


54-1398-71004.99
black chrome, metal

4x 7,5W POWERLED incl.
approved for 4x max. 7,5W



Torno

p. 113



5714011LI

class II, IP20, SELV
H153mm L179mm W179mm


54-1398-70779.20
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno

p. 113



5714211LI

class II, IP20, SELV
H248mm L256mm W256mm


54-1398-70779.44
chrome, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Torno

p. 115



5714031LI

class II, IP20, SELV
H153mm L179mm W179mm


54-1398-70779.37
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno

p. 115



5714231LI

class II, IP20, SELV
H248mm L256mm W256mm


54-1398-70779.51
white, metal

2x 7,5W POWERLED incl.
approved for 2x max. 7,5W



Torno

p. 115



5714331LI

class II, IP20, SELV
H353mm L258mm W258mm


54-1398-70778.76
white, metal

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Torno

p. 113



5714311LI

class II, IP20, SELV
H353mm L258mm W258mm


54-1398-70778.69
chrome, metal

3x 7,5W POWERLED incl.
approved for 3x max. 7,5W



Torno

p. 113



5714511LI

class III, IP20, 10,7V
L85mm C70x70 R71


54-1398-70778.83
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno

p. 113



5714611LI

class III, IP20, 10,7V
L85mm C65x65 R38


54-1398-70779.06
chrome, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno

p. 115



5714531LI

class III, IP20, 10,7V
L85mm C70x70 R71


54-1398-70778.90
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Torno

p. 115



5714631LI

class III, IP20, 10,7V
L85mm C65x65 R38


54-1398-70779.13
white, metal

1x 7,5W POWERLED incl.
approved for 1x max. 7,5W



Pallo

p. 117



5707031LI

class I, IP20, 12V
H175mm L156mm W156mm


54-1398-70259.83
white, metal

1x 50W G53 incl.
approved for 1x max. 50W



Pallo

p. 117



5707231LI

class I, IP20, 12V
H257mm L298mm W210mm


54-1398-70257.23
white, metal

2x 50W G53 incl.
approved for 2x max. 50W



Pallo

p. 117



5707331LI

class I, IP20, 12V
H261mm L302mm W302mm


54-1398-70260.27
white, metal

3x 50W G53 incl.
approved for 3x max. 50W



Doloq

p. 119



5713031LI

class I, IP20, 12V
H85mm L200mm W155mm


54-1398-70714.54
white, metal

1x 30W G53 incl.
approved for 1x max. 35W



Doloq

p. 121



5713030LI

class I, IP20, 12V
H85mm L200mm W155mm


54-1398-70996.63
black, metal

1x 30W G53 incl.
approved for 1x max. 35W



Doloq

p. 121



5713230LI

class I, IP20, 12V
H85mm L325mm W155mm


54-1398-70996.70
black, metal

2x 30W G53 incl.
approved for 2x max. 35W



Doloq

p. 121



5713330LI

class I, IP20, 12V
H85mm L495mm W155mm


54-1398-70996.87
black, metal

3x 30W G53 incl.
approved for 3x max. 35W



Doloq

p. 119



5713231LI

class I, IP20, 12V
H85mm L325mm W155mm


54-1398-70714.78
white, metal

2x 30W G53 incl.
approved for 2x max. 35W



Doloq

p. 119



5713331LI

class I, IP20, 12V
H85mm L495mm W155mm


54-1398-70714.92
white, metal

3x 30W G53 incl.
approved for 3x max. 35W



Doloq

p. 119



5713431LI

class I, IP20, 12V
H85mm L325mm W325mm


54-1398-70715.15
white, metal

4x 30W G53 incl.
approved for 4x max. 35W



Doloq

p. 121



5713430LI

class I, IP20, 12V
H85mm L325mm W325mm


54-1398-70996.94
black, metal

4x 30W G53 incl.
approved for 4x max. 35W



Bloq

p. 123



5700030LI

class I, IP20, 12V
H122mm L163mm W163mm


54-1398-70044.55
black, metal

1x 50W G53 incl.
approved for 1x max. 50W



Bloq

p. 123



5700030LI

class I, IP20, 12V
H122mm L313mm W163mm


54-1398-70044.52
black, metal

2x 50W G53 incl.
approved for 2x max. 50W



Bloq

p. 123



5700330LI

class I, IP20, 12V
H122mm L463mm W163mm


54-1398-70044.69
black, metal

3x 50W G53 incl.
approved for 3x max. 50W



Bloq

p. 123



5700430LI

class I, IP20, 12V
H122mm L313mm W313mm


54-1398-70044.76
black, metal

4x 50W G53 incl.
approved for 4x max. 50W



Bloq

p. 125



570003LI

class I, IP20, 12V
H122mm L163mm W163mm


54-1225-39505.47
white, metal

1x 50W G53 incl.
approved for 1x max. 50W



Condo

p. 127



3060431I6

class I, IP20, 230V
H115mm L144mm W92mm


87-1794-30352.05
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Condo

p. 127



3060531I6

class I, IP20, 230V
H115mm L234mm W92mm


87-1794-30352.12
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Condo

p. 127



3360531I6

class I, IP20, 230V
H200mm L94mm W125mm


87-1794-30354.27
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Bloq

p. 125



5700231LI

class I, IP20, 12V
H122mm L313mm W163mm


54-1225-39505.54
white, metal

2x 50W G53 incl.
approved for 2x max. 50W



Bloq

p. 125



5700331LI

class I, IP20, 12V
H122mm L463mm W163mm


54-1225-39505.61
white, metal

3x 50W G53 incl.
approved for 3x max. 50W



Bloq

p. 125



5700431LI

class I, IP20, 12V
H122mm L313mm W313mm


54-1225-39505.78
white, metal

4x 50W G53 incl.
approved for 4x max. 50W



Condo

p. 127



3360531I6

class I, IP20, 230V
H200mm L94mm W125mm


87-1794-37418.78
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Tubiz

p. 129



3066531LI

class I, IP20, 12V
H124mm L122mm W122mm


87-1829-14287.63
white, aluminium

1x 30W G53 incl.
approved for 1x max. 30W



Tubiz

p. 129



3066548LI

class I, IP20, 12V
H124mm L122mm W122mm


87-1829-14287.70
aluminium, aluminium

1x 30W G53 incl.
approved for 1x max. 30W



Bonq

p. 131



579813116
class I, IP20, 12V
H101mm L141mm W141mm


87-1794-30352.67
white, aluminium

1x 30W G53 incl.
approved for 1x max. 45W



Bonq

p. 131



579814816
class I, IP20, 12V
H101mm L141mm W141mm


87-1794-30352.74
aluminium, aluminium

1x 30W G53 incl.
approved for 1x max. 45W



Bonq

p. 131



579823116
class I, IP20, 12V
H101mm L281mm W141mm


87-1794-30352.81
white, aluminium

2x 30W G53 incl.
approved for 2x max. 45W



Dolium

p. 133



579903196
class I, IP20, 230V
H122mm L124mm W72mm


87-1794-37417.62
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium

p. 133



579903116
class I, IP20, 230V
H122mm L124mm W72mm


87-1794-30353.73
white, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium

p. 133



579904816
class I, IP20, 230V
H122mm L124mm W72mm


87-1794-37413.04
aluminium, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Bonq

p. 131



579824816
class I, IP20, 12V
H101mm L281mm W141mm


87-1794-30352.98
aluminium, aluminium

2x 30W G53 incl.
approved for 2x max. 45W



Bonq

p. 131



579843116
class I, IP20, 12V
H101mm L881mm W141mm


87-1794-30353.04
white, aluminium

4x 30W G53 incl.
approved for 4x max. 45W



Bonq

p. 131



579844816
class I, IP20, 12V
H101mm L881mm W141mm


87-1794-30353.11
aluminium, aluminium

4x 30W G53 incl.
approved for 4x max. 45W



Dolium

p. 133



579904896
class I, IP20, 230V
H122mm L124mm W72mm


87-1794-37417.79
aluminium, aluminium

1x 35W EcoHalo GU10 incl.
approved for 1x max. 35W



Dolium

p. 133



579923116
class I, IP20, 230V
H122mm L210mm W72mm


87-1794-30354.65
white, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Dolium

p. 133



579924816
class I, IP20, 230V
H122mm L210mm W72mm


87-1794-37413.11
aluminium, aluminium

2x 35W EcoHalo GU10 incl.
approved for 2x max. 35W



Dolium

p. 133



579943116

class I, IP20, 230V
H122mm L580mm W72mm


87-1794-30354.72
white, aluminium

4x 35W EcoHalo GU10 incl.
approved for 4x max. 35W



Dolium

p. 133



579944816

class I, IP20, 230V
H122mm L580mm W72mm


87-1794-37413.28
aluminium, aluminium

4x 35W EcoHalo GU10 incl.
approved for 4x max. 35W



Planet

p. 135



5703048LI

class I, IP20, 230V
H82mm L80mm W80mm


54-1225-39503.32
aluminium, aluminium

1x 50W GU10 incl.
approved for 1x max. 50W



Planet

p. 135



5703448LI

class I, IP20, 230V
H95mm L195mm W195mm


54-1225-39504.00
aluminium, aluminium

4x 50W GU10 incl.
approved for 4x max. 50W



Planet

p. 135



5703648LI

class I, IP20, 230V
H107mm L1055mm W82mm


54-1225-39504.24
aluminium, aluminium

6x 50W GU10 incl.
approved for 6x max. 50W



Planet

p. 137



5703031LI

class I, IP20, 230V
H82mm L80mm W80mm


54-1225-39503.56
white, aluminium

1x 50W GU10 incl.
approved for 1x max. 50W



Planet

p. 135



5703148LI

class II, IP20, 230V
H108mm L94mm W94mm


54-1225-39504.62
aluminium, aluminium

1x 35W GU10 incl.
approved for 1x max. 35W



Planet

p. 135



5703248LI

class I, IP20, 230V
H95mm L195mm W80mm


54-1225-39503.87
aluminium, aluminium

2x 50W GU10 incl.
approved for 2x max. 50W



Planet

p. 135



5703348LI

class I, IP20, 230V
H240mm L596mm W132mm


54-1225-39504.48
aluminium, aluminium

3x 50W GU10 incl.
approved for 3x max. 50W



Planet

p. 137



5703131LI

class II, IP20, 230V
H108mm L94mm W94mm


54-1225-39504.79
white, aluminium

1x 35W GU10 incl.
approved for 1x max. 35W



Planet

p. 137



5703231LI

class I, IP20, 230V
H95mm L195mm W80mm


54-1225-39503.94
white, aluminium

2x 50W GU10 incl.
approved for 2x max. 50W



Planet

p. 137




5703331LI

class I, IP20, 230V
H240mm L596mm W132mm

54-1225-39504.55
white, aluminium

3x 50W GU10 incl.
approved for 3x max. 50W






5703431LI
class I, IP20, 230V
H95mm L195mm W195mm

54-1225-39504.17
white, aluminium


4x 50W GU10 incl.
approved for 4x max. 50W



5703631LI
class I, IP20, 230V
H107mm L1055mm W82mm

54-1225-39504.31
white, aluminium



6x 50W GU10 incl.
approved for 6x max. 50W



336073116
class II, IP20, 230V
H117mm L827mm W65mm

87-1794-30353.42
white, aluminium


1x 14W G5 incl.
approved for 1x max. 14W



3250517LI
class I, IP20, 230V
H71mm L350mm W350mm

54-1225-39512.92
matt chrome, metal


2x 11W 2G7 incl.
approved for 2x max. 11W



3250617LI
class I, IP20, 230V
H71mm L450mm W450mm

54-1225-39513.46
matt chrome, metal


4x 9W 2G7 incl.
approved for 4x max. 9W



3450417LI
class I, IP20, 230V
H71mm L350mm W180mm

54-1225-39513.15
matt chrome, metal


1x 11W 2G7 incl.
approved for 1x max. 11W



3250131LI
class I, IP20, 230V
H83mm L450mm W450mm

54-1225-39507.83
white, glass


2x 80W R7S EcoHalo incl.
approved for 2x max. 105W



3450031LI
class I, IP20, 230V
H80mm L380mm W184mm

54-1225-39507.76
white, glass


1x 120W R7S EcoHalo incl.
approved for 1x max. 120W



3250417LI
class II, IP20, 230V
H71mm L250mm W250mm

54-1225-39513.39
matt chrome, metal


2x 9W 2G7 incl.
approved for 2x max. 9W



3251548LI
class II, IP20, 230V
H82mm L504mm W504mm

54-1398-70445.71
aluminium, synthetic

1x 60W 2GX13 incl.
approved for 1x max. 60W



3251648LI
class II, IP20, 230V
H82mm L424mm W424mm

54-1398-70485.48
aluminium, glass

1x 40W 2GX13 incl.
approved for 1x max. 40W



Philips Consumer Lighting Solutions EMEA

AT Austria

Triester Straße 64
1101 Wien
Tel. +43 (0) 1 60 101 0
Fax. +43 (0) 1 60 101 1883

BE Belgium

Uilenbaan 200
2160 Wommelgem
Tel. +32 03 353 84 61
Fax +32 03 353 71 59

BY Belarus

Pobeditelei Av. 89/2
220020 Minsk
Tel. +375 172 501 197

CH Switzerland

Allmendstraße 140
8027 Zürich
Tel. +41 (0) 44 488 22 00
Fax +41 (0) 44 488 25 44

CZ Czech Republic

Šafránková 1
155 55 Praha 5
Tel. +420 2 33 09 92 82
Fax +420 2 33 09 93 25

DE Germany

Lübeckertordamm 5
20099 Hamburg
Tel. +49 (0) 40 2899 0
Fax. +49 (0) 40 2899 3323

DK Denmark

Lysholtparken
Lysholt Allé 10
7100 Vejle
Tel. +45 76 40 10 40
Fax +45 76 40 10 30

Frederikskaj 6
1780 Copenhagen V
Tel. +45 33 29 33 33
Fax +45 33 29 39 44

ES Spain

C/Maria de Portugal, 1
28050 Madrid
Tel. +34 91 566 95 25
Fax +34 902 10 89 31

Pedidos:
Tel. +34/902 36 37 38
Fax +34/900 10 14 9

FI Finland

Perintötie 2 C
01510 Vantaa
Tel. +358 9 615 800
Fax +358 9 6158 0413

FR France

DIVISION ECLAIRAGE GRAND PUBLIC
ZI Route d'Ennetières - BP 70040
59637 Templemars Cedex
Tel. +33/(0)320-88 74 00
Fax +33/(0)320-88 74 39

GR Greece

Kifissias av. 44
15125 Marousi
Tel. + 302106162000
Fax + 302106162492

HR Croatia

Remetinečka cesta 139
10000 Zagreb
Tel. + 385 1 3033-710
Fax + 385 1 3033-774

HU Hungary

Alíz u. 1
H-1117 Budapest
Tel. +36 1 382-1856
Fax +36 1 382-1851

IE Ireland

Newstead Fonthill Industrial Park
Dublin 22
Tel. +353 1 7640000
Fax +353 1 7640121

IT Italy

Via G. Casati 23
20052 Monza - MB
Tel. +39/039.2031
Fax +39/039.2036128

KZ Kazakhstan

15, Republic square, office 264-268
050013 Almaty
Tel. +7 727 250 66 17
Fax +7 727 250 66 73

NL The Netherlands

Postbus 90050 – 5600PB Eindhoven
Boschdijk 525 - Gebouw VB6
5621 JG Eindhoven
Tel. +3140-2780010
Fax +31 402 78 02 22

NO Norway

Innspurten 15
0663 Oslo
Tel. +47 22 74 80 00
Fax +47 22 74 80 10

PL Poland

ul. Objazdowa 6b
62-300 Września
Tel. +48/61-437 44 00
Fax +48/61-437 44 40

Al. Jerozolimskie 195 B
02-222 Warszawa
Tel. +48/22 - 571 01 17
Fax +48/22 - 571 00 42

PT Portugal

Lagoas Park
Edifício 14
2740-262 Porto Salvo
Tel. +351-21 423 77 00
Fax +351-21 423 59 77

RO Romania

Fabrica de Glucoza nr. 17, sector 2
Bucuresti, Cod Postal 020331
Tel. + 40 21 203 20 60
Fax + 40 21 203 20 39

RS Serbia

Trg Nikole Pašića 5/V
11000 Beograd
Tel: +381-11-32-42-623
Fax: +381-11-33-42-303

RU Russia

Usacheva Street, 35
119048 Moscow,
Tel. +7 (495) 937 93 70
Fax +7 (495) 937 93 59

SE Sweden

Knararnäsgatan 7
164 85 Stockholm
Tel. +46 (0)200 11 27 22
Fax +46 (0)200 77 76 00

SK Slovakia

Plynárenská 7/B
821 09, Bratislava
Tel. +421 2 20 66 61 58
Fax +421 2 20 66 61 59

SL Slovenia

Knezov Štradon 94
1000 Ljubljana
Tel. +386 1/280 95 56
Fax +386 1280 95 61

TR Turkey

Saray Mah. Dr. Adnan Büyükdenez Cad. No: 13
Ümraniye – 34768 İstanbul
Tel. + 90/216 636 15 00
Fax: + 90/216 636 15 15

UA Ukraine

4 Mykoly Grinchenka str.,
Horizon Park Business Center,
Building N 2, Floor 4
03038 Kiev
Tel. +380 44 490 9848
Fax +380 44 490 9856

UAE United Arab Emirates

Philips Lighting Middle East
Dubai Knowledge Village (Next to Cisco Building)
Al Sufouh 2
PO.Box: 7785, Dubai, United Arab Emirates
Tel. +971 4 446 1 100
Fax +971 4 446 1 190

UK UK

Guildford Business Park
Guildford
Surrey GU2 8XH
Tel. +44(0)1483 293201
Fax +44(0)1483 29880

BE International Sales

Industrieterrein Satenrozen 13
B-2550 Kontich
Tel. +32 3 353 28 11
Fax +32 3 459 11 00

SYMBOL description

-  switch
-  dimmer
-  touchdimmer
-  adjustable height
-  adjustable height
-  rotates freely
-  easy installation with magnetic cover
-  dimmable with wall dimmer
-  suitable for wall & ceiling
-  suitable for ceiling
-  suitable for wall
- H** height
- L** length
- W** width
- C** cut-out size (recessed spots)
- R** recessed distance (recessed spots)

