



Product Code	Image	Usage	Dimensions
LED-P-10		General	0,94 13,66 20 15,95 5.35
LED-P-11		Recessed Flush Mount Takes Double Strips	56, 3 - 2 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5
LED-P-12		High & Low Level Effect Coving & Skirting Usage	45, 3 76, 2 89, 92 76, 2
LED-P-13		Surface Mount Takes Double Strips Separate slide in mounting track	36, 64 31, 3 30, 06 6, 4 35, 3
LED-P-14		General Separate slide in mounting track	15. 16, 84 16. 16, 84 17. 16, 84 188 188 188 188 188 188 188 188 188 188
LED-P-15		Surface Mount Takes Double Strips	36, 64 31, 3 8 6, 4 81
LED-P-16		Stair Nosing	4, 19
LED-P-17		General	2, 45
LED-P-18		General Under Cabinet & Corners	15,95 5,35
LED-P19		Under Cabinet & Corners	19.5










Product Code	Image	Usage	Dimensions
LED-P20		General Separate slide in mounting track	27 16, 84 19, 76 1 16, 84 19, 76 1 16, 84
LED-P21		General Low Profile Surface Mount	1, 58 11, 52 S 12, 21 S S 17, 28
LED-P22		Flooring and tile mount	1, 1 26, 2 7, 8, 82 19, 14
LED-P23		General Low Profile Recessed	23, 23 1, 52
LED-P24		Corner / Edge / Stair Lighting	21, 66 21, 56 21, 50 21, 50 21
LED-P25		General Separate slide in mounting track	28 16.64 17. 16.64 17. 17. 18.64 17.
LED-P26	S. III	General illuminated Hanging Rail	्रा <u>क्</u> री 12.1 है। व्या
LED-P27		General Recessed Profile	23, 4 2, 45 55 52 12, 3 17, 2
LED-P28		General Budget Profile - Use as Heat Sink Diffuser optional	15 13 d 12 d 12 d 15 15 15
LED-P29		General Diffuser Options for LED-P28 Milky, Fros	ted, Clear & Horse Shoe
LED-P30		Stair Nosing	2 5
LED-P31		Floor Lighting Walkover	18, 34 1, 1, 92 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1










Product Code	Image	Usage	Dimensions
LED-P32	30	General Lense Enhancement	26 67 11, 66 16 16 16 16 16 16 16 16 16 16 16 16
LED-P33		General Small Surface Mount	9,92 1,36 1,36 1,96 1,09
LED-P34		General - Surface Mount Lense Enhancement Mounting Track	9 1 16, 84 9 1 16, 84 9 1 19, 76
LED-P35		Recessed Wide Profile	30, 44 22, 37 50 51 20, 64 23, 64
LED-P36		Surface Wide Profile	22, 38 6, 1, 2, 64 20, 64 23, 64
LED-P37		Specialist Profile Not for floor usage	16, 02
LED-P38		Cove Profile	39, 54 0, 8 6, 02 1, 52 35, 38
LED-P39		General Recessed Profile Cable Conduit	36,14 18 18 1,6 86 11,5 87 15,58 67 10,4 22,64
LED-P40		General Surface Profile Cable Conduit	1,0 46,2 30 10,64 50 60
LED-P41		General Surface Profile Cable Conduit	16, 92 1, 7 16, 92 5 14, 32 00 1 16, 92 5 11, 7 14, 32 00 1 16, 92 5 10 10 10 10 10 10 10 10 10 10 10 10 10 1
LED-P42		General Surface Profile Cable Conduit	1, 1 20 16, 92 14, 33 20, 32







Product Code	<u>Image</u>	Usage	Dimensions
LED-P43		General Surface Profile Cable Conduit	19, 52 1, 2 26 27 16, 92 17 16, 92 17 16, 92 17 17 18, 92 19, 52
LED-P44		General Surface Profile with Lense Cable Conduit	1. 7 16. 92 14. 92 14. 92 20. 32
LED-P45		General Surface Profile Cable Conduit	17, 62 1, 7 16, 92 14, 32 1, 32
LED-P46		General Surface Profile Cable Conduit	17, 12 1, 7 16, 92 1, 14, 32 1, 14, 32 1, 14, 32 1, 14, 32 1, 14, 32
LED-P47		General Lighting Up & Down Cable Conduit	5
LED-P48		General Lighting Up & Down Cable Conduit	32, 7 14, 3 6, 18 14, 3 22 1, 36 48, 6
LED-P49		General Round LED Diffuser	55, 65 \$2 \$2 \$2 \$2 \$3 \$4 \$5 \$6 \$6 \$6 \$6 \$6 \$6 \$6
LED-P50		General Round LED Diffuser	8 S S S S S S S S S S S S S S S S S S S









Product Code	Image	Usage	Dimensions
LED-P51		General Round LED Diffuser	100 NSS.11

More Profiles are available to order - Please call with any specific requirement

Available from:

Ideals (GB) Limited TEL: 01702 460855 Unit 3 Brookside Centre

Sumpters Way

Southend. Essex. SS2 5RR

WEB: www.idealsgb.co.uk
email: sales@idealsgb.co.uk